

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in CHR [Chattanooga/Hamilton Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	*	*	a
Black, not Hispanic	19	49	a	11	65	a	30	54	a
Hispanic	*	*	a	0	0	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	39	100	a	17	100	a	56	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	8	21	5	29	6	11
25-34	*	*	*	*	13	23
35-44	*	*	*	*	18	32
45-54	*	*	*	*	14	25
55-64	*	*	*	*	*	*
>=65	*	*	0	0	*	*
Total	39	100	17	100	56	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	19	49	a	a	19	34
Injection drug use (IDU)	0	0	*	*	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	0	0	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	20	51	12	71	32	57
Total	39	100	17	100	56	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	12	48	*	*	*	*	0	0	0	0	0	0	19	34
Injection drug use (IDU)	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	10	40	22	73	0	0	0	0	0	0	0	0	32	57
Total	25	*	30	100	*	*	0	0	0	0	0	0	56	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	39	100	17	100	56	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	39	100	17	100	56	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	9	64	a
Black, not Hispanic	*	*	a	*	*	a	*	*	a
Hispanic	*	*	a	0	0	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	14	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	41	41	37	38	39	951
Females	8	12	21	19	17	275
Total	49	53	58	57	56	1,226

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	25	28	31	25	25	633
Black, not Hispanic	22	24	23	28	30	556
Hispanic	*	*	*	*	*	27
Asian/Pacific Islander	*	*	*	0	0	6
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	*	*	4
Total	49	53	58	57	56	1,226

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	22	25	22	19	19	545
White, not Hispanic: Female	*	*	9	*	*	88
Black, not Hispanic: Male	17	16	12	19	19	383
Black, not Hispanic: Female	5	8	11	9	11	173
Hispanic: Male	*	0	*	0	*	18
Hispanic: Female	0	*	0	*	0	9
Asian/Pacific Islander: Male	0	0	0	0	0	4
Asian/Pacific Islander: Female	0	0	*	0	0	2
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	*	0	3
Total	49	53	58	57	56	1,226

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	0
15-24	7	*	9	12	*	162
25-34	12	17	19	18	13	478
35-44	19	17	12	17	18	362
45-54	8	11	14	6	14	157
55-64	*	*	*	*	*	50
>=65	*	0	*	*	*	11
Total	49	53	58	57	56	1,226

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	29	33	25	23	19	660
Injection drug use (IDU)	*	*	*	*	*	166
Male-to-male sex and IDU	*	*	*	*	0	50
Heterosexual contact	12	14	11	*	*	223
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	*	*	15	21	32	123
Total	49	53	58	57	56	1,226

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	17	19	20	24	23	301
Females	5	6	15	12	9	129
Total	22	25	35	36	32	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	13	13	21	*	*	214
Black, not Hispanic	*	*	*	19	17	198
Hispanic	*	0	*	*	*	15
Asian/Pacific Islander	0	0	*	0	0	3
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	22	25	35	36	32	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	11	11	14	12	11	174
White, not Hispanic: Female	*	*	7	*	*	40
Black, not Hispanic: Male	5	8	*	12	11	116
Black, not Hispanic: Female	*	*	7	7	6	82
Hispanic: Male	*	0	*	0	*	10
Hispanic: Female	0	0	0	*	0	5
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	*	0	0	2
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	22	25	35	36	32	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	*	*	*	10	5	73
25-34	5	11	11	14	9	168
35-44	10	8	6	7	10	123
45-54	*	*	10	*	6	49
55-64	0	*	*	*	*	13
>=65	0	0	0	0	*	3
Total	22	25	35	36	32	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	14	17	13	12	*	195
Injection drug use (IDU)	*	0	*	*	0	49
Male-to-male sex and IDU	0	0	*	*	0	15
Heterosexual contact	*	*	9	*	*	96
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	0	*	10	16	17	74
Total	22	25	35	36	32	430

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	37	33	26	21	31	650
Females	7	9	17	10	12	146
Total	44	42	43	31	43	796

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	18	25	16	*	*	419
Black, not Hispanic	*	*	25	14	23	358
Hispanic	*	*	*	0	0	12
Asian/Pacific Islander	0	0	0	0	0	3
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	*	*	*	4
Total	44	42	43	31	43	796

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	16	23	12	12	14	371
White, not Hispanic: Female	*	*	*	*	*	48
Black, not Hispanic: Male	20	10	13	9	16	267
Black, not Hispanic: Female	5	6	12	5	7	91
Hispanic: Male	*	0	*	0	0	8
Hispanic: Female	0	*	0	0	0	4
Asian/Pacific Islander: Male	0	0	0	0	0	3
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	*	1
Unknown/Multiple Race: Female	0	0	*	*	*	3
Total	44	42	43	31	43	796

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	44
25-34	8	13	13	11	9	305
35-44	16	15	12	12	16	261
45-54	13	8	9	*	10	132
55-64	*	*	*	*	*	43
>=65	0	0	0	0	*	8
Total	44	42	43	31	43	796

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	24	25	19	16	16	465
Injection drug use (IDU)	11	*	*	*	*	117
Male-to-male sex and IDU	0	*	0	*	*	35
Heterosexual contact	*	*	11	*	*	127
Mother with/at risk for HIV	0	0	0	0	0	3
Other/unknown	*	0	*	7	18	49
Total	44	42	43	31	43	796

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	506	526	546	564	593
Females	155	160	176	190	203
Total	661	686	722	754	796

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	328	348	371	388	404
Black, not Hispanic	310	315	324	336	362
Hispanic	17	17	20	22	22
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*
Total	661	686	722	754	796

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	282	300	315	327	338
White, not Hispanic: Female	46	48	56	61	66
Black, not Hispanic: Male	209	212	214	220	238
Black, not Hispanic: Female	101	103	110	116	124
Hispanic: Male	12	11	14	14	14
Hispanic: Female	5	6	6	8	8
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	*	*	*	*	*
Total	661	686	722	754	796

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	0	0	0	0	0
13-14	0	0	0	0	0
15-24	5	5	10	19	25
25-34	93	100	117	132	140
35-44	292	305	307	313	328
45-54	200	202	212	214	223
55-64	57	59	62	62	64
>=65	14	15	14	14	16
Total	661	686	722	754	796

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	345	363	381	392	406
Injection drug use (IDU)	102	102	100	99	96
Male-to-male sex and IDU	24	23	24	28	27
Heterosexual contact	146	152	156	155	156
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
Total	661	686	722	754	796

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	*	358
Females	*	*	*	*	*	72
Total	16	28	22	25	14	430

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	9	8	8	*	9	229
Black, not Hispanic	7	19	14	16	*	194
Hispanic	0	*	0	*	*	5
Asian/Pacific Islander	0	0	0	0	0	2
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	0	0	0	0
Total	16	28	22	25	14	430

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and race/ethnicity:sex

Race/ethnicity: Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	7	7	7	8	207
White, not Hispanic: Female	*	*	*	*	*	22
Black, not Hispanic: Male	5	13	10	13	*	145
Black, not Hispanic: Female	*	6	*	*	*	49
Hispanic: Male	0	*	0	0	*	4
Hispanic: Female	0	0	0	*	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	16	28	22	25	14	430

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	9
25-34	*	*	*	*	*	141
35-44	*	11	13	9	*	151
45-54	6	10	*	7	5	83
55-64	*	*	*	*	*	34
>=65	*	0	*	0	0	10
Total	16	28	22	25	14	430

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	7	15	7	12	5	254
Injection drug use (IDU)	*	*	*	*	*	70
Male-to-male sex and IDU	*	*	*	0	*	23
Heterosexual contact	*	8	7	6	*	67
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	0	0	*	*	14
Total	16	28	22	25	14	430

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.